


AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, 1985–2005—United States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



AIDS Cases in Males, through 2005—United States

Of 943,528 cases of AIDS in adults and adolescents

81% were in males

59% of cases in males were attributed to
male-to-male contact

4% of cases in males were aged 13-24 years


64% of cases in males aged 13-24 were
attributed to male-to-male sexual contact

Of AIDS cases diagnosed during 2005, 43% of cases in
adults and adolescents were attributed to male-to-male
sexual contact



AIDS Cases and Deaths among Men Who Have Sex with Men, 1985–2005—United States


No. of cases



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



HIV/AIDS Cases among Adults and Adolescents, by Transmission Category, 1994–2005—25 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.

*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Cases of HIV/AIDS among Adults and Adolescents, by Transmission Category, 2005—33 States

	No.	%
Male-to-male sexual contact	18,296	49
Injection drug use	5,292	14
Male-to-male sexual contact and injection drug use	1,324	4
High-risk heterosexual contact*	11,989	32
Other	262	1




Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.

*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.




AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, by Race/Ethnicity, 1985–2005—United States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



HIV/AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, by Race/Ethnicity, 1994–2005—25 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



Adult or Adolescent Men Who Have Sex with Men Living with HIV/AIDS, by Race/Ethnicity, 2001–2005—33 States


	White, not Hispanic	Black, not Hispanic	Hispanic	Asian/ Pacific Islander	American Indian/ Alaska Native	Total
2001	84,123	49,358	23,446	880	688	159,609
2002	89,059	53,449	25,960	1,010	742	171,397
2003	93,725	57,304	28,333	1,185	793	182,550
2004	98,664	61,300	30,886	1,343	847	194,294
2005	104,184	66,130	33,729	1,551	900	207,810



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.




HIV/AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, by Race/Ethnicity, 2005—33 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.




AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, by Region and Race/Ethnicity, 2005—United States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.


HIV/AIDS Cases among Adult and Adolescent Men Who Have Sex with Men by Age Group, 2001–2005—33 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.




HIV/AIDS Cases among Men Who Have Sex with Men Aged 13–24, by Race/Ethnicity, 2001–2005—33 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



HIV/AIDS Diagnoses among Men Who Have Sex with Men Aged 13–24, by Race/Ethnicity, 2005—33 States



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.



HIV/AIDS Cases among Adult and Adolescent Men Who Have Sex with Men, by Race/Ethnicity and Population of Area of Residence, 2005—33 States

	Non- metropolitan	50,000– 499,999	≥500,000
White, not Hispanic	590	1,034	6,010
Black, not Hispanic	515	807	5,142
Hispanic	106	245	3,061
Asian/Pacific Islander	5	25	198
American Indian/Alaska Native	30	14	45
Unknown	11	13	82



Note. Data statistically adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.

